

Technical Product Specification

Date: 10.03.2025

Customer: Aktum A/S

Cust. Product No.: 132065

Article Specification

Article Description: 13x20cm rectangular plate 250pk, brown

Raw Material: Virgin board unbleached 205g, FSC, Industrial Compostable

Colour of Article: brown

Weight of Article: 5,6g (+/-5%)

Pack Specification

Barcode: customer specific

Pack Size: 250pk

Dimensions (l/w/h): 198x128x75mm

Weight of Pack: 1403g

Packaging: PO shrink film

Label: customer specific

Carton Specification

Barcode: customer specific

Total quantity: 1000

Packs / Carton: 4

Type of Carton: standard

Dimensions (l/w/h): 415x275x185mm

Empty Weight: 315g

Gross Weight: 5927g

Net Weight (plates): 5600g

Pallet Specification

Barcode: Unique SSCC barcode

Type of Pallet: EUR 80x120cm



Cartons / Pallet: 32

Layers / Pallet: 2

Height of Pallet: 120cm

Pallet Weight: 215kg

Permitted tolerance: +/- 5%





Declaration of Compliance

Date Issued: March 10th, 2025

Issued By:

Articles: 18cm paper plate 50pk,
brown 23cm paper plate
50pk, brown
18cm paper plate 50pk, ultra style brown
22cm paper plate 50pk, ultra style brown
26cm paper plate 50pk, brown
13x20cm rectangular plate 250pk, brown

Materials: Articles are made of virgin fibre paperboard.

Articles comply with below European Regulations:

- Regulation (EC) No 1935/2004 as subsequently amended and supplemented
- Regulation (EC) No 2023/2006 as subsequently amended and supplemented

and following national specific measures:

- D.M. 21 March 1973 as subsequently amended and supplemented
- Décret n°2007-766 du 10 mai 2007 portant application du code de la consommation en ce qui concerne les matériaux et les objets destinés à entrer en contact avec les denrées alimentaires, as subsequently amended and supplemented
- Fiche MCDA n°4 (V02 – 01/01/2019) Aptitude au contact alimentaire des matériaux organiques à base de fibres végétales destinés à entrer en contact avec des denrées alimentaires
- BfR XXXVI. Paper and paperboard in contact with foodstuffs

Conditions of use:

Articles are suitable for contact with dry, moist and fatty foodstuffs up to 90°C at the moment of filling, after which the food cools down. Articles are not intended for use in microwave oven or conventional oven.

Dual use substances:

The following additives are also authorized as food additives by Regulation (EC) No 1333/2008 or as flavorings by Regulation (EC) No1334/2008 and according to information from our board supplier may be present in the product:

Calcium carbonate (E170)
Sodium sulfite (E221)
Sodium bisulfite (E222)
Sodium metabisulphite (E223)
Sodium nitrate (E251)
Acetic acid (E260)



Potassium acetate (E261)
Citric acid (E330)
Disodium phosphate (E339)
Adipic acid (E355)
Xanthan gum (E415)
Glycerol (E422)
Sodium carboxymethylcellulose (E466)
Sorbitan monostearate (E491)
Sorbitan monolaurate (E493)
Sodium carbonate (E500)
Magnesium carbonate (E504)
Magnesium chloride (E511)
Sulfuric acid (E513)
Sodium sulphate (E514)
Aluminium sulphate (E520)
Sodium hydroxide (E524)
Silicon dioxide (E551)
Stearic acid (E570)
Starch sodium octenyl succinate (E1450)
Propane-1,2-diol (E1520)
Polyethylene glycol (E1521)
Glutaraldehyd (FL. No. 05.149)
Ethyl acrylate (FL. No. 09.037)

Storage:

Recommended storage conditions are 45-55% relative humidity and 19-23°C and not in direct sunshine. We recommend articles to be used within 36 months from the date of production.

Tom Hästbäck