

# Technical Product Specification

Date: 10.03.2025

Customer: Aktum A/S

Cust. Product No.: **226522**

## Article Specification

Article Description: 22cm paper plate 50pk, Ultra Style brown

Raw Material: FSC virgin board unbleached 255g Industrial compostable

Colour of Article: brown

Weight of Article: 11g (+-5%)

## Pack Specification

Barcode: customer specific

Pack Size: 50pk

Dimensions (l/w/h): 226x226x35mm

Weight of Pack: 554g

Packaging: PO shrink film

Label: customer specific

## Carton Specification

Barcode: customer specific

Total quantity: 500

Packs / Carton: 10

Type of Carton: standard

Dimensions (l/w/h): 565x230x230mm

Empty Weight: 270g

Gross Weight: 5810g

Net Weight (plates): 5500g

## Pallet Specification

Barcode: Unique SSCC barcode

Type of Pallet: EUR 80x120cm

Cartons / Pallet: 28

Layers / Pallet: 4

Height of Pallet: 107cm

Pallet Weight: 188kg

Permitted tolerance: +/- 5%



FSC  
www.fsc.org

MIX  
Paper

FSC® C057337



990468



## Declaration of Compliance

**Date Issued:** March 10<sup>th</sup>, 2025

**Issued By:**

**Articles:** 18cm paper plate 50pk, brown  
23cm paper plate 50pk, brown  
18cm paper plate 50pk, ultra style brown  
22cm paper plate 50pk, ultra style brown  
26cm paper plate 50pk, brown  
13x20cm rectangular plate 250pk, brown

**Materials:** Articles are made of virgin fibre paperboard.

Articles comply with below European Regulations:

- Regulation (EC) No 1935/2004 as subsequently amended and supplemented
- Regulation (EC) No 2023/2006 as subsequently amended and supplemented

and following national specific measures:

- D.M. 21 March 1973 as subsequently amended and supplemented
- Décret n°2007-766 du 10 mai 2007 portant application du code de la consommation en ce qui concerne les matériaux et les objets destinés à entrer en contact avec les denrées alimentaires, as subsequently amended and supplemented
- Fiche MCDA n°4 (V02 – 01/01/2019) Aptitude au contact alimentaire des matériaux organiques à base de fibres végétales destinés à entrer en contact avec des denrées alimentaires
- BfR XXXVI. Paper and paperboard in contact with foodstuffs

Conditions of use:

Articles are suitable for contact with dry, moist and fatty foodstuffs up to 90°C at the moment of filling, after which the food cools down. Articles are not intended for use in microwave oven or conventional oven.

Dual use substances:

The following additives are also authorized as food additives by Regulation (EC) No 1333/2008 or as flavorings by Regulation (EC) No1334/2008 and according to information from our board supplier may be present in the product:

Calcium carbonate (E170)  
Sodium sulfite (E221)  
Sodium bisulfite (E222)  
Sodium metabisulphite (E223)  
Sodium nitrate (E251)  
Acetic acid (E260)



Potassium acetate (E261)  
Citric acid (E330)  
Disodium phosphate (E339)  
Adipic acid (E355)  
Xanthan gum (E415)  
Glycerol (E422)  
Sodium carboxymethylcellulose (E466)  
Sorbitan monostearate (E491)  
Sorbitan monolaurate (E493)  
Sodium carbonate (E500)  
Magnesium carbonate (E504)  
Magnesium chloride (E511)  
Sulfuric acid (E513)  
Sodium sulphate (E514)  
Aluminium sulphate (E520)  
Sodium hydroxide (E524)  
Silicon dioxide (E551)  
Stearic acid (E570)  
Starch sodium octenyl succinate (E1450)  
Propane-1,2-diol (E1520)  
Polyethylene glycol (E1521)  
Glutaraldehyd (FL. No. 05.149)  
Ethyl acrylate (FL. No. 09.037)

**Storage:**

Recommended storage conditions are 45-55% relative humidity and 19-23°C and not in direct sunshine. We recommend articles to be used within 36 months from the date of production.

*Tom Hästbäck*