

Technical Product Specification

Date: 07.03.2025

Customer: Aktum A/S

Cust. Product No.: **232613**

Article Specification

Article Description: 23cm paper plate 50pk, white coated

Raw Material: Virgin board 195g clay coated, FSC, Nordic Swan, Home Compostable

Colour of Article: White

Weight of Article: 8,4g (+-5%)

Pack Specification

Barcode: customer specific

Pack Size: 50pk

Dimensions (l/w/h): 226x226x30mm

Weight of Pack: 422,4g

Packaging: PO shrink film

Label: customer specific

Carton Specification

Barcode: customer specific

Total quantity: 1000

Packs / Carton: 20

Type of Carton: standard

Dimensions (l/w/h): 565x230x230mm

Empty Weight: 300g

Gross Weight: 8748g

Net Weight (plates): 8400g

Pallet Specification

Barcode: Unique SSCC barcode

Type of Pallet: EUR 80x120cm

Cartons / Pallet: 28

Layers / Pallet: 4

Height of Pallet: 107cm

Pallet Weight: 270kg

Permitted tolerance: +/- 5%



40470016



www.fsc.org

MIX

Paper

FSC® C057337





Declaration of Compliance

Date Issued: March 10th, 2025

Issued By:

Articles: 18cm paper plate 50pk, white coated
23cm paper plate 50pk, white coated
13x20cm rectangular plate 250pk, white

Materials: Articles are made of virgin fibre paperboard.

Articles comply with below European Regulations:

- Regulation (EC) No 1935/2004 as subsequently amended and supplemented
- Regulation (EC) No 2023/2006 as subsequently amended and supplemented

and following national specific measures:

- D.M. 21 March 1973 as subsequently amended and supplemented
- Décret n°2007-766 du 10 mai 2007 portant application du code de la consommation en ce qui concerne les matériaux et les objets destinés à entrer en contact avec les denrées alimentaires, as subsequently amended and supplemented
- Fiche MCDA n°4 (V02 – 01/01/2019) Aptitude au contact alimentaire des matériaux organiques à base de fibres végétales destinés à entrer en contact avec des denrées alimentaires
- BfR XXXVI. Paper and paperboard in contact with foodstuffs

Conditions of use:

Articles are suitable for contact with dry, moist and fatty foods up to 90°C at the moment of filling, after which the food cools down. Articles are not intended for use in microwave oven or conventional oven.

Dual use substances:

Based on the information from our paperboard suppliers the articles may contain following substances with a quantitative restriction set in Regulation (EC) No 1333/2008 or Regulation (EC) No 1334/2008 with subsequent amendments:

Calcium carbonate (E170)
Sodium nitrate (E251)
Acetic acid (E260)
Sodium acetates (E262)
Citric acid (E330)
Phosphoric acid (E338)
Sodium phosphates (E339)
Potassium phosphates (E340)
Calcium phosphates (E341)
Magnesium phosphates (E343)



Adipic acid (E355)
Calcium stearate (E470a)
Sorbitan monolaurate (E493)
Hydrochloric acid (E507)
Magnesium chloride (E511)
Sulphuric acid (E513)
Sodium sulphate (E514)
Aluminium sulphate (E520)
Sodium hydroxide (E524)
Ammonium hydroxide (E527)
Silicon dioxide (E551)
Magnesium silicate (E553a)
Talc (E553b)
Bentonite (E558)
Polyvinyl alcohol (PVA) (E1203)
Oxidised starch (E1404)
Monostarch phosphate (E1410)
Distarch phosphate (E1412)
Acetylated starch (E1420)
Propane-1, 2-diol (E1520)
Polyethylene glycol (E1521)

Storage:

Recommended storage conditions are 45-55% relative humidity and 19-23°C and not in direct sunshine. We recommend articles to be used within 36 months from the date of production.

Tom Hästbäck