## **Technical Product Specification**

Customer: Aktum A/S

Cust. Product No.: **266526** 

### **Article Specification**

Article Description: 26cm paper plate 50pk, brown

Raw Material: FSC virgin board unbleached 255g Industrial compostable

Colour of Article: brown

Weight of Article: 16,2g (+-5%)

## **Pack Specification**

Barcode: customer specific

Pack Size: 50pk

Dimensions (l/w/h): 257x257x120mm

Weight of Pack: 814g

Packaging: PO shrink film

Label: customer specific

## **Carton Specification**

Barcode: customer specific

Total quantity: 300

Packs / Carton: 6

Type of Carton: standard

Dimensions (I/w/h): 485x265x265mm

Empty Weight: 350g

Gross Weight: 5234g

Net Weight (plates): 4860g

## **Pallet Specification**

Barcode: Unique SSCC barcode

Type of Pallet: EUR 80x120cm

Cartons / Pallet: 24

Layers / Pallet: 4


Heigth of Pallet: 120cm

Pallet Weight: 151kg



Date: 10.03.2025





Permitted tolerance: +/- 5%



# **Declaration of Compliance**

Date Issued: March 10<sup>th</sup>, 2025

Issued By:

18cm paper plate 50pk, brown

**Articles:** 23cm paper plate 50pk, brown

18cm paper plate 50pk, ultra style brown 22cm paper plate 50pk, ultra style brown

26cm paper plate 50pk, brown

13x20cm rectangular plate 250pk, brown

**Materials:** Articles are made of virgin fibre paperboard.

Articles comply with below European Regulations:

- Regulation (EC) No 1935/2004 as subsequently amended and supplemented

- Regulation (EC) No 2023/2006 as subsequently amended and supplemented

## and following national specific measures:

- D.M. 21 March 1973 as subsequently amended and supplemented
- Décret n°2007-766 du 10 mai 2007 portant application du code de la consommation en ce qui concerne les matériaux et les objets destinés à entrer en contact avec les denrées alimentaires, as subsequently amended and supplemented
- Fiche MCDA n°4 (V02 01/01/2019) Aptitude au contact alimentaire des matériaux organiques à base de fibres végétales destinés à entrer en contact avec des denrées alimentaires
- BfR XXXVI. Paper and paperboard in contact with foodstuffs

### Conditions of use:

Articles are suitable for contact with dry, moist and fatty foodstuffs up to 90°C at the moment of filling, after which the food cools down. Articles are not intended for use in microwave oven or conventional oven.

#### Dual use substances:

The following additives are also authorized as food additives by Regulation (EC) No 1333/2008 or as flavorings by Regulation (EC) No1334/2008 and according to information from our board

supplier may be present in the product: Calcium carbonate (E170)

Sodium sulfite (E221) Sodium bisulfite (E222)

Sodium metabisulphite (E223)

Sodium nitrate (E251) Acetic acid (E260)



Potassium acetate (E261)

Citric acid (E330)

Disodium phosphate (E339)

Adipic acid (E355)

Xanthan gum (E415)

Glycerol (E422)

Sodium carboxymethylcellulose (E466)

Sorbitan monostearate (E491)

Sorbitan monolaurate (E493)

Sodium carbonate (E500)

Magnesium carbonate (E504)

Magnesium chloride (E511)

Sulfuric acid (E513)

Sodium sulphate (E514)

Aluminium sulphate (E520)

Sodium hydroxide (E524)

Silicon dioxide (E551)

Stearic acid (E570)

Starch sodium octenyl succinate (E1450)

Propane-1,2-diol (E1520)

Polythylene glycol (E1521)

Glutaraldehyd (FL. No. 05.149)

Ethyl acrylate (FL. No. 09.037)

## Storage:

Recommended storage conditions are 45-55% relative humidity and 19-23°C and not in direct sunshine. We recommend articles to be used within 36 months from the date of production.

